


Film Processing



- 1] Water :: 1 minute - continuous agitation (same temp as Developer)
- 2] Developer (1 part developer, to 1 part water) ::
Agitate for first 30 seconds, then 5 seconds every 30 seconds
(Refer to the film data sheets on the wall for your processing time/temp)
- 3] Stop Bath (1 part stop, to 1 part water) :: 30 seconds continuous agitation
- 4] Fix :: 4 - 5 minutes, agitate 5 seconds every 30 seconds
(Pour into used fix bucket, not down the drain)
- 5] Wash :: 1 minute
- 6] Perma Wash :: 1 minute continuous agitation
- 7] Wash :: 2 minutes
- 8] Photo Flo :: 30 seconds, agitate first 5 seconds
- 9] Dry :: approximately 30 minutes