ACIDS, SOLVENTS, PAINTS - SDS SAFETY CHART

CODE	ITEM	MANUFACTURER	FIRST AID	HEALTH HAZARD	FLAMMABILITY	CHEMICAL REACTIVITY
A1	Hydrochloric Acid	Mallinckrodt Chemicals	Eye Contact : Immediately Flush eyes with plenty of water for at least 15 minutes, lifting lids. Get medical attention immediately. Skin Contact : Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing. Inhaled : Move victim to fresh air. Give oxygen if breathing is labored, and seek medical attention. Swallowed : DO NOT INDUCE VOMITING. Give large quantities of water or milk. Get medical attention immediately.	Health: 3 Poison/Danger/Cor rosive. Liquid may cause severe burns to all body tissue. May be fatal if swallowed or inhaled. Inhalation may cause lung damage.	Flammability: 0 If involved in a fire, use water spray and neutralize with soda ash or slaked lime.	Reactivity: 2 Stable under ordinary conditions of use/storage. Dangerous if heated. Incompatible with strong mineral acids, strong bases, metals, metal oxides, hydroxies, amines, carbonates, and alkalis.
A2	Glacial Acetic Acid	Eastman Kodak Company	Eye Contact : Flush with plenty of water for 15 minutes. Get medical attention. Skin Contact : Remove contaminated clothing and wash skin with soap and water. <u>Inhaled</u> : Move victim to fresh air. Give oxygen if	Material is a corrosive acid solution and will cause irritation and burns to eyes, skin, respiratory tract, and gastrointestinal tract. Prolonged exposure may cause scarring and	Flash Point: 103F, Flammable Limits N/A	Stable Avoid strong oxidizing agents, amines, and all bases, as well as heat and open flames.

			breathing becomes difficult. <u>Swallowed</u> : DO NOT INDUCE VOMITING. Give large quantities of water to dilute material. Get medical attention immediately.	infection of liver and kidney.		
A3	Nitric Acid	Phoenix Industries Inc.	Eye Contact : Immediately Flush eyes with plenty of water for at least 15 minutes, lifting lids. Seek medical attention. Skin Contact : Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing. Inhaled : Move to fresh air. Give oxygen if breathing is labored, and seek medical attention. Swallowed : DO NOT INDUCE VOMITING. Give large quantities of water or milk. Seek medical attention immediately.	Corrosive/Reactive/ Poison. May cause breathing difficulties, pulmonary edema, burns to skin, eyes, and throat, and chronic exposure may cause erosion of teeth, and lung damage.	Flash Point N/A, Flammable Limits N/A	Stable under ordinary conditions of use/storage. Avoid light and heat, as well as strong oxidizing agents, bases, metallic powders, carbides, hydrogen sulfide, turpentine, and combustible organics.
A4	Phosphoric Acid	EMD Chemicals Inc.	Eye Contact : Remove contact lenses. Flush eyes with plenty of water for at least 15 minutes, and get medical attention immediately. Skin Contact : Flush skin with plenty of water for at	Health: 2 Harmful if inhaled or swallowed. Causes eye and skin burns, and respiratory tract irritation.	Flammability: 0 Flash Point N/A, Flammable Limits N/A	Reactivity: 0 Stable

			least 15 minutes while removing contaminated clothing. Cover irritated skin with emollient. Inhaled: Move to fresh air. Give oxygen if breathing is labored, and seek medical attention. Swallowed: Do not induce vomiting unless directed by a medical professional. Loosen tight clothing at collar and waistband. Seek medical attention immediately.			
A5	Blanket and Roller Solvent	Varn Products Inc.	Eye Contact : Flush eyes with plenty of water for at least 15 minutes. Skin Contact : Wash with soap and water and remove contaminated clothing. Inhaled : Move to fresh air. Restore breathing if necessary, and seek medical attention. Swallowed : DO NOT INDUCE VOMITING. Give 1-2 tablespoons vegetable oil. Seek medical attention immediately.	May cause irritation to skin and eyes, as well as respiratory tract. Dangerous if swallowed.	Flash Point: 106F, Flammable Limits: 1%-6.5%	Stable Avoid strong oxidizing agents.
A6	Boiled Linseed Oil	Ace, W.M. Barr and Company Inc.	Eye Contact: Remove Contact Lenses. Flush eyes with plenty of water	May cause irritation to eyes, skin, and respiratory tract, as	Flash Point: 250F, Flammable	Stable Incompatible

			for at least 15 minutes. <u>Skin Contact</u> : Wash with soap and water. <u>Inhaled</u> : Move to fresh air. Provide oxygen as needed until medical assistance can be rendered. <u>Swallowed</u> :Call your poison control center, emergency room, or physician immediately for instructions.	well as nausea, vomiting, and diarrhea if ingested.	Limits N/A	with strong oxidizing agents.
A7	Acetone	Ace	Eye Contact : Flush eyes with plenty of water for at least 15 minutes. Skin Contact : Wash with soap and water. Inhaled : Move to fresh air. Provide oxygen as needed, and seek medical attention. Swallowed :Call your poison control center. Emergency room, or physician for instructions	Health: 2 May cause dizziness, headache, drowsiness, nausea, numbness, and irritation to skin and eyes. Dangerous if swallowed. Repeated exposure may cause neurological damage.	Flammability: 3 Flash Point: -4.00F, Flammable Limits: 2.6% Extremely flammable, keep away from heat, sparks, and flame. Vapors may cause flash fire/explosions.	Reactivity: 0 Stable Incompatible with strong oxidizing agents and hydrogen peroxide.
A8	Graphic Stop Out Varnish	Graphic Chemical and Ink Co.	Eye Contact : Flush eyes with plenty of water for at least 15 minutes, holding eyelids open. Skin Contact : Wash with soap and water. Inhaled : Move to fresh air.	May cause irritation to eyes and skin. May cause defatting if inhaled. Harmful if ingested.	Flash Point: 54F, Flammable Limits: 3.3%	Stable Avoid strong oxidizers, high heat, sparks, and open flames.

			Provide oxygen as needed. <u>Swallowed</u> : Do not induce vomiting. Get medical attention immediately.			
A9	Odorless Paint Thinner	Sunnyside Corp	Eye Contact : Flush eyes with plenty of water for at least 15 minutes, holding eyelids open. Skin Contact : Remove contaminated clothing. Flush with water, followed by soap and water. Inhaled : Move to fresh air. Provide oxygen as needed. Swallowed :Do not induce vomiting. If vomiting occurs, keep head supported. Seek medical attention immediately.	May cause eye, skin, and respiratory irritation, as well as dizziness or vomiting if inhaled or ingested. Seek immediate medical attention if ingested.	Flash Point: 120F, Flammable Limits: 1.3%	Stable Avoid strong oxidizing agents such as liquid chlorine or concentrated oxygen. Avoid heat, sparks, and flame.

CODE	ITEM	MANUFACTURER	FIRST AID	HEALTH HAZARD	FLAMMABILITY	CHEMICAL REACTIVITY
A10	Gum Spirits of Turpentine	Sunnyside Corporation	Eye Contact : Remove contact lenses. Flush eyes with copious quantities of running water for at least 15 minutes. Skin Contact : Remove contaminated clothing. Wash with soap and water. Inhaled : Move to fresh air. Get medical attention if symptoms persist.	May cause chemical burns to eyes and skin. Vapors can produce headaches, dizziness, vertigo, chest pain, pulmonary edema, and narcosis. If ingested can	Flash Point: 91F, Flammable Limits: 0.8% Vapors may cause flash fire/explosion. May cause moderate fire when heated.	Stable when stored in a cool, and well ventilated area. Avoid acids or acidic materials and strong oxidizing agents. Avoid heat.

			Swallowed :Do not induce vomiting. Give 1-2 glasses of water or milk. Seek medical attention.	produce nausea, serious illness, or even death.		
A11	Lacquer Thinner	Ace, W. M. Barr	Eye Contact : Flush eyes with large quantities of water for at least 15 minutes, and seek medical attention. Skin Contact : Wash with soap and water. Inhaled : Move to fresh air. Provide oxygen and medical assistance as needed. Swallowed : Call your local poison control center, emergency room, or physician immediately for instructions to induce vomiting. Note to Physician: This product contains methanol which can metabolize and cause visual disturbances/blindness. Methanol is effectively removed by hemodialysis.	Health: 2 May cause headache, dizziness, numbness, and fatigue if inhaled. Misuse or deliberately concentrating and inhaling can be harmful or fatal. May case conjunctivitis of eyes, and numbness of skin. Is poisonous if ingested. May be cause blindness and be fatal.	Flammability:3	Reactivity: 0 Stable Incompatible with strong oxidizing agents, caustics, hydrogen peroxide, and nitrates.
A12	Graphic Liquid Asphaltum	Graphic Chemical and Ink Co	Eye Contact : Flush eyes with water for at least 15 minutes, holding eyelids open. Skin Contact : Wash with soap and water.	May cause eye and skin irritation, and narcosis if inhaled, as well as headache, nausea, dizziness, and	Flash Point: 85F, Flammable Limits N/A	Stable Avoid Heat

			Inhaled: Move to fresh air. Provide oxygen as needed. Swallowed: Do not induce vomiting. Get medical attention immediately.	diarrhea. Ingestion may be harmful		
A13	Lithotine	Jell Chemicals, Inc.	Eye Contact : Flush eyes with large quantities of water for at least 15 minutes, and seek medical attention if symptoms persist. Skin Contact : Remove contaminated clothing. Wipe away excess from skin and wash with soap and water. Inhaled : Move to fresh air. Provide oxygen and medical assistance as needed. Swallowed : Do not induce vomiting unless consulted to do so by a physician. Seek medical attention immediately. Note to Physician: Component may cause severe, permanent damage if aspirated.	May cause irritation to eyes, skin, and respiratory tract. High concentrations of vapor may produce central nervous system depression. Ingestion may result in vomiting and severe lung damage. Chronic overexposure may cause damage to the kidneys.	Flash Point: 108F, Flammable Limits N/A	Stable Avoid oxidizing materials and chlorinated compounds.
A14	(Klean Strip) Odorless Mineral Spirits	Klean Strip, W. M. Barr	Eye Contact : Immediately begin to flush eyes with water and remove any contact lens. Continue to flush eyes for at least 15 minutes. Seek medical	Health: 1 May cause irritation to eyes and skin. Vapors are harmful and there is a	Flammability: 2 Flash Point: >170F, Flammable Limits	Reactivity: 0 Stable Incompatible with oxidizing agents.

			attention. <u>Skin Contact</u> : Remove contaminated clothing. Wash skin thoroughly with soap and water. <u>Inhaled</u> : Move to fresh air. Provide oxygen as needed. Seek medical attention. <u>Swallowed</u> : Do NOT induce vomiting. Seek immediate medical attention. Call a physician, emergency room, or poison control.	danger of serious damage to health by prolonged exposure. Considered harmful or fatal if swallowed. May cause gastrointestinal irritation, nausea, vomiting, and diarrhea. Chronic overexposure may cause neurological or physiological damage.	0.6%-7.0%	
A15	Denatured Alcohol	ACE, W.M. Barr	Eye Contact : Flush with large quantities of water for at least 15 minutes. If irritation persists, get medical attention. Skin Contact : Wash with soap and water. Inhaled : Move to fresh air. Provide oxygen and medical assistance as needed. Swallowed : Call your poison control center, emergency room, or physician immediately for instructions to induce vomiting. Note to physician: Poison. This product contains methanol, which is	Health: 1 May cause irritation to eyes and skin. Vapor is harmful if inhaled. May cause dizziness, headache, drowsiness, nausea, and vision problems. Product is poisonous and may cause blindness or fatality if swallowed. May produce fluid in the lungs and pulmonary edema.	Flammability:3 Flash Point: 45F, Flammable Limits 1.00%	Reactivity: 0 Stable Incompatible with strong oxidizing agents.

			metabolized to formaldehyde and formic acid.			
A16	Parts Washer Solvent (Safety Kleen Premium Solvent)	Safety Kleen Systems, Inc.	Eye Contact : Immediately flush eyes with plenty of lukewarm water, holding eyelids apart for 15 minutes. Get medical attention. Skin Contact : Remove affected clothing and shoes. Wash skin with soap and water. Inhaled : Move to fresh air. Provide oxygen and medical assistance as needed. Swallowed : Do NOT induce vomiting. Immediately get medical attention. Call 1-800-468-1760 for additional information. If vomiting occurs, keep head below hips to avoid breathing product into lungs.	Health: 1 May cause irritation to eyes, skin, and respiratory tract, and may be harmful if inhaled or swallowed, causing dizziness, numbness, effects to the central nervous system, coma, or death.	Flammability: 2 Flash Point: 148F, Flammable Limits 0.7%-5.0%	Reactivity: 0 Stable Avoid heat, sparks, or flame. Avoid acids, alkalies, oxidizing agents, reducing agents, or reactive halogens.
A17	Citric Acid	Mallinckrodt Baker, Inc.	Eye Contact : Immediately flush eyes with plenty of lukewarm water, holding eyelids apart for 15 minutes. Get medical attention. Skin Contact : Remove	Health: 1 May cause irritation in eyes, skin, and respiratory tract. Causes irritation to gastrointestinal	Flammability: 1 Flash Point: 1852F, Flammable Limits N/A	Reactivity: 2 Stable under ordinary conditions of storage/handling.

			affected clothing and shoes. Flush skin with plenty of water for at least 15 minutes. <u>Inhaled</u> : Move to fresh air. Provide oxygen and medical assistance as needed. <u>Swallowed</u> : Induce vomiting immediately as directed by a medical professional.	tract, and chronic exposure may cause tooth enamel erosion.		Incompatible with metal nitrates, alkali carbonates, and bicarbonates.
A18	California Wash	Flint Group, Varn International, Inc.	Eye Contact : Flush eyes with plenty of water, holding eyelids apart for 15 minutes, and removing contacts. Get medical attention if irritation continues. Skin Contact : Remove affected clothing and shoes. Flush contaminated skin with plenty of water. Inhaled : Move to fresh air. Loosen tight clothing at waist and collar. Provide oxygen and medical assistance as needed. Swallowed : Get medical attention immediately. Wash out mouth with water, remove dentures if any. Give small quantities of water to drink. Do NOT induce vomiting. Loosen	May cause irritation to eyes, skin, and respiratory tract. May cause nausea and vomiting if ingested and may be fatal if swallowed or enters airways.	Flash Point N/A, Flammable Limits N/A	Stable Avoid spark and flame. Incompatible with oxidizing materials.

			tight clothing and contact poison control.			
A19	Tannic Acid	Sciencelab.com Inc.	Eye Contact : Check for and remove contact lenses. Immediately flush eyes with plenty of water, cold water may be used. Seek medical attention. Skin Contact : Remove affected clothing and shoes. Immediately flush skin with plenty of water. Cover irritated skin with an emollient. Seek medical attention. Inhaled : Move to fresh air. Provide oxygen as needed. Seek medical attention. Swallowed : Do NOT induce vomiting, unless instructed to do so by a medical professional. Loosen tight clothing, and seek medical attention.	Health: 2 May cause irritation to eyes, skin, respiratory tract, and gastrointestinal tract. Chronic exposure may be toxic to kidneys and liver.	Flammability: 1 Flash Point: 390F, Flammable Limits N/A	Reactivity: 0 Stable Avoid excessive heat. Incompatible with oxidizing agents and alkalis.
A20	Oxalic Acid	Sciencelab.com Inc.	Eye Contact : Check for and remove contact lenses. Immediately flush eyes with plenty of water, cold water may be used. Seek medical attention. Skin Contact : Remove affected clothing and shoes. Immediately flush skin with plenty of water.	Health: 3 Hazardous to skin, eyes, and if inhaled or ingested. May cause corneal damage or blindness, lung damage, choking, and even death.	Flammability: 1 Flash Point N/A, Flammable Limits N/A	Reactivity:0 Stable Avoid excessive heat, oxidizing agents, metals, and alkalis.

			Cover irritated skin with an emollient. Seek medical attention. Inhaled: Move to fresh air. Provide oxygen as needed. Seek medical attention. Swallowed: Do NOT induce vomiting, unless instructed to do so by a medical professional. Loosen tight clothing, and seek medical attention.	Chronic exposure may cause kidney and liver damage, as well as damage to the nervous system, eyes, heart, brain, and skin.		
A21	Aluminum Potassium Sulfate	Sciencelab.com Inc.	Eye Contact : Check for and remove contact lenses. Immediately flush eyes with plenty of water, cold water may be used. Seek medical attention. Skin Contact : Remove affected clothing and shoes. Immediately flush skin with plenty of water. Cover irritated skin with an emollient. Seek medical attention. Inhaled : Move to fresh air. Provide oxygen as needed. Seek medical attention. Swallowed : Do NOT induce vomiting, unless instructed to do so by a medical professional. Loosen tight clothing, and seek medical attention.	Health: 2 May cause irritation to eyes, skin, respiratory and gastrointestinal tracts.	Flammability: 0 Flash Point N/A, Flammable Limits N/A	Reactivity: 0 Stable Incompatible with oxidizing agents, metals, and alkalis.

A22	Ferric Chloride Etchants	Phibro-Tech Inc.	Eye Contact : Immediately flush with copious amounts of water for at least 15 minutes while holding eyelids apart. Seek medical attention Skin Contact : Remove affected clothing and shoes. Wash affected area thoroughly with water. <u>Inhaled</u> : Move to fresh air. Provide oxygen as needed. Consult a physician. Swallowed : Do NOT induce vomiting. Give two glasses of water or milk. Seek immediate medical attention.	May cause irritation to eyes and skin. Harmful if ingested, may lead to vomiting, and delayed hemorrhagic necrosis, or even death.	Flash Point N/A, Flammable Limits N/A	Stable Incompatible with metals, strong bases, and oxidizers.
A23	Anco Tannic Acid Plate Etch	Jell Chemicals, Inc.	Eye Contact : Immediately flush eyes with water for at least 15 minutes. Skin Contact : Remove contaminated clothing and shoes. Wipe excess from skin and flush with water, using soap if available. <u>Inhaled</u> : Move to fresh air. Provide oxygen as needed. Consult a physician. Swallowed : Dilute with liquid unless the victim is unconscious or drowsy. If vomiting occurs, keep head below hips to prevent aspiration. Consult a	May cause irritation to eyes, skin, and respiratory tract. Product is mildly toxic if ingested, and may cause nausea, diarrhea, and vomiting.	Flash Point N/A, Flammable Limits N/A	Stable Avoid oxidizing materials and alkaline materials.

			physician.			
A24	Stops Rust Crystal Clear Aerosol	Rust-Oleum Corporation	Eye Contact : Hold eyelids apart and flush with plenty of water for at least 15 minutes. Skin Contact : Wash with soap and water. Inhaled : Move to fresh air. Seek medical attention as needed. Swallowed : Aspiration hazard. Do NOT induce vomiting. Seek medical attention.	May cause irritation to eyes and skin, and vapors are harmful if inhaled. Aspiration hazard if ingested. Overexposure may cause central nervous system disorder, and is harmful to kidney, liver, lung, and spleen.	Flash Point: -156F, Flammable Limits 0.9%-12.8%	Stable Avoid high temperatures and sources of ignition. Incompatible with strong oxidizing agents, acids, and alkalies.
A25	Krylon Interior/Exterior Gloss Paint	Krylon, Sherwin-Williams Company	Eye Contact : Flush eyes with large amounts of water for 15 minutes. Skin Contact : Wash with soap and water. Remove affected clothing. Inhaled : Remove from exposure, restore breathing, and keep warm and quiet. Swallowed : Do NOT induce vomiting, seek medical attention immediately.	May cause irritation to eyes, skin, and respiratory tract. May cause nervous system depression. Extreme overexposure may result in unconsciousness or even death. Harmful if swallowed.	Flash Point: <0F, Flammable Limits 1.0%-13.1%	Stable
A26	PTouch 2x	Rust-oleum	Eye Contact : Immediately flush eyes with plenty of water for at least 15 minutes holding eyelids open. Get medical	Health: 2 Causes serious eye irritation. Harmful if inhaled. May	Flammability: 4 Flash Point 120F, Flammable	Reactivity: 0 Stable Avoid high

			attention. <u>Skin Contact</u> : Wash with soap and water. Remove affected clothing. <u>Inhaled</u> : Remove to fresh air, and provide oxygen as needed. Seek medical attention. <u>Swallowed</u> : Aspiration hazard. Do NOT induce vomiting or give anything by mouth. Seek medical attention immediately.	cause drowsiness or dizziness. Overexposure may cause genetic defects and cancer.	Limits N/A	temperatures, and sources of ignition. Incompatible with strong acids, strong bases, oxidizing agents, and alkalis.
A27	Touch Up Paint	Hoffman, Custom-Pak Products, Inc.	Eye Contact : Flush eyes with plenty of water for at least 15 minutes. Skin Contact : Wash with soap and water. Remove contaminated clothing. Inhaled : Move to fresh air. Swallowed : Do NOT induce vomiting. Get medical attention immediately.	Health: 2 May aggravate asthma or other respiratory ailments. May cause irritation to eyes and skin. Considered hazardous if swallowed. Prolonged exposure may be harmful to nervous system and brain function.	Flammability: 3 Flash Point N/A, Flammable Limits N/A	Reactivity: 1 Stable Keep away from heat, sparks, and flame. Incompatible with strong oxidizing agents.
A28	Acrylic Gesso	Liquitex, Golden, ColArt Americas, Inc.	Eye Contact: Wash eyes with plenty of water for at least 15 minutes. Skin Contact: Wash with soap or mild detergent and	No significant target effects reported.	Flash Point N/A, Flammable Limits N/A	Stable Incompatible with oxidizing materials.

	water. Inhaled: Remove from exposure. Swallowed: Contact local poison control center or physician immediately.		
--	---	--	--

CODE	ITEM	MANUFACTURER	FIRST AID	HEALTH HAZARD	FLAMMABILITY	CHEMICAL REACTIVITY
A29	Pro LSPR Fluorescent	Rust-oleum	Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, holding eyelids open. Skin Contact: Wash with soap and water. Remove contaminated clothing. Inhaled: Remove to fresh air. Provide oxygen as needed. Seek medical attention. Swallowed: Aspiration hazard. Do NOT induce vomiting or give anything by mouth. Get immediate medical attention.	Health: 2 May cause irritation to eyes and skin. Prolonged exposure may lead to genetic defects or cancer. Aspiration hazard if swallowed.	Flammability: 4 Flash Point: >20F, Flammable Limits N/A	Reactivity: 0 Stable Avoid high temperatures, acids, and bases. Incompatible with strong oxidizing agents, acids, and alkalis.
A30	Pro Industrial Rust Preventative Paint Black	Sherwin-Williams Company.	Eye Contact : Flush eyes with large amounts of water for 15 minutes. Skin Contact : Wash with soap and water. Inhaled : Remove from exposure, restore	Health: 2 May cause irritation to eyes, skin, and respiratory tract. Harmful if swallowed.	Flammability: 0 Flash Point N/A, Flammable Limits N/A	Reactivity:0 Stable

			breathing, and keep warm and quiet. <u>Swallowed</u> : Do NOT induce vomiting. Seek medical attention immediately.			
A31	Gold Acrylic Spray Paint	Montana	Eye Contact : Rinse open eyes under flowing water for several minutes. Skin Contact : Generally product does not irritate skin. Inhaled : Supply fresh air. Swallowed : Drink copious amounts of water and provide fresh air. Seek medical attention immediately.	Health: 1 May cause irritation to eyes. Hazardous if swallowed, seek medical attention. Vapors may cause dizziness or drowsiness.	Flammability: 4 Flash Point N/A, Flammable Limits N/A	Reactivity: 3 Stable
A32	SPECLT SSPR Metallic Silver	Rust-oleum	Eye Contact : Immediately flush eyes with plenty of water for at least 15 minutes, holding eyelids open. Get medical attention. Skin Contact : Wash skin with soap and water. Remove contaminated clothing. Inhaled : Remove to fresh air. Provide oxygen and medical attention as needed. Swallowed : Aspiration hazard. Do NOT induce	Health: 2 May cause irritation to eyes and skin. Harmful if inhaled. Prolonged exposure may cause damage to organs, fertility, or unborn children.	Flammability: 4 Flash Point >20F, Flammable Limits N/A	Reactivity: 0 Stable Avoid high temperatures. Incompatible with strong oxidizing agents, acids, and alkalies.

			vomiting, or give anything by mouth. Seek immediate medical attention.			
A33	Black NC Formula	Montana	Eye Contact : Rinse open eyes for several minutes under flowing water. Skin Contact : Generally product does not irritate skin. Inhaled : Supply fresh air. Provide oxygen as needed. Keep patient warm, seek medical attention. Swallowed : Drink copious amounts of water and provide fresh air. Seek medical attention immediately.	Health: 2 May cause irritation to eyes, skin, and respiratory tract. Harmful if swallowed.	Flammability: 4 Flash Point N/A, Flammable Limits N/A	Reactivity: 3 Stable
A34	Industrial Enamel	Rust-oleum	Eye Contact : Hold eyelids apart and flush with plenty of water for at least 15 minutes. Skin Contact : Wash with soap and water. Inhaled : Supply fresh air. Seek medical attention if symptoms persist. Swallowed :Aspiration hazard. Do NOT induce vomiting or give anything by mouth because this material can enter the lungs and cause severe lung damage. Seek medical	Health: 2 May cause irritation to eyes and skin. Vapors are harmful if inhaled. If swallowed, may be an aspiration hazard, causing severe lung damage. Overexposure is a possible carcinogen and may cause central nervous system	Flammability: 4 Flash Point -156F, Flammable Limits 0.7%-32.5%	Reactivity: 0 Stable Avoid high temperatures. Incompatible with strong oxidizing agents, acids, and alkalies.

			attention.	disorder, as well as damage to central organs.		
A35	Stops Rust Clear Metal Primer	Rust-oleum	Eye Contact : Hold eyelids apart and flush with plenty of water for at least 15 minutes. Skin Contact : Wash with soap and water. Inhaled : Supply fresh air. Seek medical attention if symptoms persist. Swallowed :Aspiration hazard. Do NOT induce vomiting or give anything by mouth because this material can enter the lungs and cause severe lung damage. Seek medical attention immediately.	Health: 2 May cause irritation to the eyes and skin. Vapors may be harmful if inhaled. Harmful if ingested, aspiration hazard. Can enter lungs and cause damage. Overexposure may be a possible carcinogen, or cause central nervous system disorder, as well as organ damage.	Flammability: 4 Flash Point -156F, Flammable Limits 0.7%-22.0%	Reactivity: 0 Stable Avoid high temperatures. Incompatible with strong oxidizing agents, acids, and alkalies.
A36	Stops Rust Crystal Clear Enamel	Rust-oleum	Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, holding eyelids open. Skin Contact: Wash with soap and water. Inhaled: Supply fresh air. Seek medical attention if symptoms persist. Swallowed:Aspiration hazard. Do NOT induce vomiting or give anything	Health: 2 May cause irritation to the eyes and skin. Vapors may be harmful if inhaled. Harmful if ingested, aspiration hazard. Can enter lungs and cause damage. Overexposure may cause central	Flammability: 4 Flash Point -156F, Flammable Limits N/A	Reactivity: 0 Stable Avoid high temperatures. Incompatible with strong oxidizing agents, acids, and alkalies.

			by mouth because this material can enter the lungs and cause severe lung damage. Seek medical attention immediately.	nervous system disorder, as well as permanent brain and nervous system damage.		
A37	(Krylon) Magnetic Paint (Primer)	Krylon Products Group	Eye Contact : Flush eyes with large amounts of water for at least 15 minutes. Skin Contact : Wash affected areas thoroughly with soap and water. Remove contaminated clothing. Inhaled : Remove from exposure, restore breathing, and keep victim warm and quiet. Swallowed : Do NOT induce vomiting. Seek medical attention immediately.	Health: 2 May cause irritation to eyes, skin, and respiratory tract. May cause nervous system depression. Extreme overexposure may result in unconsciousness or even death. Prolonged exposure may chronically affect the liver, urinary system, cardiovascular system, and reproductive system.	Flammability: 3 Flash Point <0F, Flammable Limits 0.9%-12.8%	Reactivity: 1 Stable
A38	Color Pro Zero Voc Latex	Hirshfield's/ Benjamin Moore & Co.	Eye Contact : Rinse thoroughly with water for at least 15 minutes. Skin Contact : Wash affected areas thoroughly with soap and water. Remove contaminated clothing.	Health: 1 May cause mild irritation to eyes and skin. No hazards which require special first aid measures.	Flammability: 0 Flash Point N/A, Flammable Limits N/A	Reactivity: 0 Stable

			Inhaled: Move to fresh air. Swallowed: Clean mouth with water and afterwards drink plenty of water. Consult a physician as necessary.			
A39	Waterborne Acrylic Enamel	Premium Decor, GPM	Eye Contact: Flush immediately with large amounts of water. Skin Contact: Remove contaminated clothing. Wash affected area. Inhaled: Remove to fresh air. Swallowed: Give 1-2 glasses of water to dilute. Do NOT induce vomiting. Call a physician immediately.	Vapors or spray may be irritating to eyes, nose, and thoat. Prolonged or direct contact may cause eye irritation. INgestion of large quantities may result in nausea or other gastrointestinal irritation.	Flash Point N/A, Flammable Limits N/A	Stable
A40	High Gloss Waterborne Acrylic Enamel	Premium Decor, GPM	Eye Contact : Flush immediately with large amounts of water, for at least 15 minutes. Skin Contact : Remove contaminated clothing. Wash affected area with soap and water. Inhaled : Remove to fresh air. Provide oxygen and medical attention as necessary. Swallowed : Give 1-2 glasses of water to dilute. Do NOT induce vomiting.	Vapors or spray may be irritating to eyes, nose, and thoat, and cause dizziness, nausea, and fatigue. Prolonged exposure may cause nausea, dizziness, or headache.	Flash Point 20F, Flammable Limits 2.0%	Stable Avoid contact with strong oxidizing agents.

			Get medical attention immediately.			
A41	Spar Varnish (Clear Wood Varnish)	Ace, Coronado Paint Co.	Eye Contact : Flush at least once with large amounts of lukewarm water for at least 15 minutes and get medical attention. Skin Contact : Remove contaminated clothing. Wash affected area with soap and water. Inhaled : Remove to fresh air. Provide oxygen and medical attention as necessary. Swallowed : Give 2 glasses of water to dilute. Do NOT induce vomiting. Consult a physician or poison control.	Health: 1 May cause irritation to eyes as well as respiratory mucous membranes, causing headache and nausea. May be harmful if swallowed.	Flammability: 0 Flash Point N/A, Flammable Limits 0.6-22.0%	Reactivity: 0 Stable Avoid high temperatures.